



ICE-TEK
DIVISION

GHIACCIO CUBETTO PIENO
FULL ICE CUBE

CIM Line | 18 g



la minerva



Experience. Evolution. Excellence.



- Costruzione in acciaio inox e materiali idonei al contatto con gli alimenti
- Gas R290
- **Vasca raccolta ghiaccio integrata** (esclusa per CIM 300)
- Condensazione (A) aria o (W) acqua*
- Controlli elettronici
- Voltaggi speciali, su richiesta
- Macchine rispondenti alle normative di igiene e di sicurezza in vigore
- **Condizioni di lavoro standard:**
 - temperatura acqua 15°C
 - temperatura ambiente 20°C
 - pressione acqua MIN 1 bar / MAX 5 bar
- Consigliata installazione sistema dosatore sale anticalcare



Disponibili altri formati/pesi di cubetto (sotto richiesta).

* Da confermare al momento dell'ordine.




- Construction in stainless steel and specific materials approved for contact with food stuff
- Gas R290
- **Built-in ice collection tank** (not included for CIM 300)
- (A) Air or W (Water) condensing*
- Electronic controls
- Special voltages, on request
- Machines compliant with hygiene and safety regulations
- **Standard working conditions:**
 - incoming water temperature 15°C
 - environment air temperature 20°C
 - water pressure MIN 1 bar / MAX 5 bar
- Highly recommended the installation of salt dosing unit to prevent scale built-up of limestone



Other cube formats/weight available (on request).

* To be confirmed at the order.

DIMENSIONI - DIMENSIONS



		CIM 30-12	CIM 40-15	CIM 50-25	CIM 60-40	CIM 80-40	CIM 100-60	CIM 160-75	CIM 300
A		690	685	795	800	900	985		860
B	mm	390	500		736			840	1255
C		550	600		620			760	595

CARATTERISTICHE TECNICHE - TECHNICAL FEATURES

		CIM 30-12	CIM 40-15	CIM 50-25	CIM 60-40	CIM 80-40	CIM 100-60	CIM 160-75	CIM 300
Gas	Smc	R 290							
Produzione Productivity	kg/24h	30	40	50	60	80	100	160	300
Capacità deposito Storage capacity	kg	12	15	25	40		60	75	-
Potenza elettrica Electrical Power	kW	0,45	0,35	0,8	0,35	0,9	1,0	1,7	2,7
Tensione nominale Volt Rated	V/ph/Hz	230/1/50						230/1/50 (**)	
Peso netto Net weight	kg	41	50,5	53	68,5	83	81	108	146

(**) Fornite senza pulsante START/STOP (eventuale adeguamento impianto del cliente non incluso).
START/STOP switch not included (eventual adaptation on electrical box is not included).

ACCESSORI - ACCESSORIES

