



PIZZATECH

ELECTRIC OVENS FOR PIZZA

ANTARES

la minerva



 **MADE IN
ITALY**

 **minerva
omega
GROUP**

Experience. Evolution. Excellence.

ANTARES

MAIN FEATURES

Description

Electrical and electromechanical multi pizza chamber oven

Version

Antares E: Modular version, 1 chamber
Antares M: Modular version with 1 or 2 stacked chambers

Standard equipment

- Alumined sheet metal chamber
- External structure (sides, roof) in pre-painted sheet metal
- Shelves made of refractory material
- Removable door with double glass
- Sealing rope gasket for high temperatures
- Two-stroke power valve system
- Interior lighting

Functions

ANTARES E - Electrical controls

- 3,5" high-brightness color display
- Separate top and bottom power control
- Simultaneous display of set and working temperatures
- Software update via WiFi
- Possibility to save up to 9 baking programs
- Booster function
- Economy function
- Auto mode
- Plug-In extractor hood

ANTARES M - Electromechanical controls

- Interruttore generale di accensione
- Baking chamber temperature
- Top and bottom electromechanical controls
- Digital temperature display



ANTARES E



ANTARES M
(single baking chamber)



ANTARES M
(double baking chamber)

Baking chamber internal height 14 cm

Max temperature 450°C

Pizzas diameter Ø 35 cm

Optionals

- Stand
- Proofer
- Baking trays rack - 6 trays



ANTARES ovens are also available in a TOP version.



ANTARES

ELECTRICAL DATA

		POWER SUPPLY (V)	POWER (kw)	AVERAGE CONSUMPTION (KW/H)	CURRENT DRAW (A)	CUSTOMER PANEL PROT. NxA fuse
ANTARES	ANTARES E/M 4	V230/V400	5,2	3,11	13.5 (230/1) - 7.8 (400/3)	2x25 (230/1) - 4x16 (400/3)
	ANTARES E/M 6	V230/V400	7,8	4,67	20 (230/1) - 11.6 (400/3)	2x40 (230/1) - 4x16 (400/3)
	ANTARES E/M 6G	V230/V400	9,6	5,75	25 (230/1) - 14.3 (400/3)	2x50 (230/1) - 4x25 (400/3)
	ANTARES E/M 9	V400	14,4	8,62	21,56	4x25
	ANTARES M 44	V230/V400	10,4	6,23	27 (230/1) - 15.5 (400/3)	2x50 (230/1) - 4x30 (400/3)
	ANTARES M 66G	V400	19,2	11,50	28,74	4x40
	ANTARES M 99	V400	28,8	17,25	43,11	4x50

PRODUCTIVITY


		PIZZAS DIAMETER (CM)	NR. PIZZAS (1 chamber)	PRODUCTIVITY PIZZAS/H (1 chamber)
ANTARES	ANTARES E/M 4	Ø 35	4	40
	ANTARES E/M 6		6	54
	ANTARES E/M 6G			60
	ANTARES E/M 9		9	90
	ANTARES M 44		4 + 4	40 + 40
	ANTARES M 66G		6 + 6	60 + 60
	ANTARES M 99		9 + 9	90 + 90



ANTARES

DIMENSIONS

ANTARES E




		OVEN DIMENSIONS (mm)			BAKING CHAMBER (mm)			WEIGHT (Kg)	TOP WEIGHT (Kg)
		A	B	C	L	D	H		
ANTARES E	ANTARES E4	1035	945	380	700 (670)	700 (685)	140	73	91
	ANTARES E6		1295			1050 (1035)		102	127
	ANTARES E6G	1385	945		1050 (1020)	700 (685)		110	134
	ANTARES E9		1295			1050 (1035)		136	172

I dati della presente scheda tecnica non sono impegnativi e potranno subire variazioni senza preavviso.




ANTARES

ANTARES M, single baking chamber



ANTARES M, double baking chamber




		OVEN DIMENSIONS (mm)			BAKING CHAMBER (mm)			WEIGHT (Kg)	TOP WEIGHT (Kg)
		A	B	C	L	D	H		
ANTARES M	ANTARES M4	1035	945	380	700 (670)	700 (685)	140	73	91
	ANTARES M6G	1385			1050 (1020)			1050 (1035)	110
	ANTARES M9		1295			1050 (1035)			136
	ANTARES M44	1035	945	710	700 (670)	700 (685)		140	180
	ANTARES M66G	1385			1050 (1020)			1050 (1035)	200
	ANTARES M99		1295			1050 (1035)			260

I dati della presente scheda tecnica non sono impegnativi e potranno subire variazioni senza preavviso.



ANTARES

STAND






		STAND DIMENSIONS (mm)										WEIGHT (Kg)		
		A	B	C			D			E	F			
				Height 1	Height 2	Height 3	Height 1	Height 2	Height 3			Height 1	Height 2	Height 3
ANTARES	ANTARES E/M 4	970	855	1165	965	565	885	685	285	760	645	54	47	38
	ANTARES E6		1205								995	67	60	44
	ANTARES E/M 6G	1320	855							1110	645			
	ANTARES E/M 9		1205											
	ANTARES M44	970	855	-	-	760	645	-	47	-				
	ANTARES M66G	1320									60			
	ANTARES M99								1205		66			

I dati della presente scheda tecnica non sono impegnativi e potranno subire variazioni senza preavviso.






ANTARES

HOOD | ANTARES E



HOOD | ANTARES M



		HOOD DIMENSIONS (mm)				WEIGHT (Kg)
		A	B	C	K	
ANTARES	ANTARES E/M 4-44	1035	1195	290	Ø115	24
	ANTARES E6		1545			26
	ANTARES E/M 6G-66G	1385	1195			26
	ANTARES E/M 9-99		1545			28

I dati della presente scheda tecnica non sono impegnativi e potranno subire variazioni senza preavviso.