



PIZZA-TEK
DIVISION

ELECTRIC OVENS FOR PIZZA KING



GAM International by Minerva Omega Group



Experience. Evolution. Excellence.

KING



THE ONLY OVEN
IN THE WORLD
THAT BAKES WITH
THE INNOVATIVE

IWOS™ Italian
Wood
Oven
Substitute
PRO

MAIN FEATURES

Description Electrical multi pizza chamber oven

Version Modular version

Standard equipment

- **I.W.O.S.™** (Italian Wood Oven Substitute) **PRO cooking system**
- Stainless steel chamber, sides and back
- Baking chamber made entirely of refractory material
- Plug-In extractor hood
- 7 cm of insulation
- High temperature sealing rope gasket
- Double glazing door
- 7" high-brightness color display
- Two-stroke power valve system
- Interior light



Touch screen functions

- Software update via WiFi
- Possibility to save up to 9 baked programs
- Booster function
- Economy function
- Auto mode
- Separate top and bottom power control
- Simultaneous display of set and working temperatures

Baking chamber internal height 14 cm

Max temperature 500°C

Pizzas diameter Ø 35 cm

Optionals

- Stand
- Proofer
- Baking trays rack - 6 trays

ELECTRICAL DATA

| | | POWER SUPPLY (V) | POWER (kW) | AVERAGE CONSUMPTION (KW/H) | CURRENT DRAW (A) | CUSTOMER PANEL PROT. NxA Fuse |
|------|---------|------------------|------------|----------------------------|--------------------------|-------------------------------|
| KING | KING E4 | V230/1 - V400/3 | 6 | 3,59 | 15.6 (230/1) - 9 (400/3) | 2x35 (230/1) - 4x16 (400/3) |
| | KING E6 | | 11.2 | 6,71 | 16,77 | 2x63 (230/1) - 4x25 (400/3) |
| | KING E9 | V400 | 16.8 | 10,06 | 25,15 | 4X30 |




KING

PRODUCTIVITY

| | | PIZZAS DIAMETER (CM) | NR. PIZZAS (1 chamber) | PRODUCTIVITY PIZZAS/H (1 chamber) |
|-------------|----------------|----------------------|------------------------|-----------------------------------|
| KING | KING E4 | Ø 35 | 4 | 48 |
| | KING E6 | | 6 | 72 |
| | KING E9 | | 9 | 108 |

DIMENSIONS

OVEN




| | | OVEN DIMENSIONS (mm) | | | BAKING CHAMBER (mm) | | | TOP WEIGHT (Kg) |
|-------------|----------------|----------------------|------|-----|---------------------|-----|-----|-----------------|
| | | A | B | C | L | D | H | |
| KING | KING E4 | 1135 | 985 | 425 | 700 | 700 | 140 | 182 |
| | KING E6 | 1485 | | | 1050 | | | 217 |
| | KING E9 | | 1135 | | 1050 | 296 | | |

Specifications and other features are subject to change without notice.




KING

STAND



| | | STAND DIMENSIONS (mm) | | | | | | | | WEIGHT (Kg) | | | | |
|------|---------|-----------------------|-----|----------|----------|----------|----------|----------|----------|-------------|-----|----------|----------|----------|
| | | A | B | C | | | D | | | E | F | | | |
| | | | | Height 1 | Height 2 | Height 3 | Height 1 | Height 2 | Height 3 | | | Height 1 | Height 2 | Height 3 |
| KING | KING E4 | 1120 | 920 | 1165 | 965 | 565 | 1165 | 695 | 895 | 845 | 645 | 82 | 72 | 62 |
| | KING E6 | 1470 | | | | | | | | 1270 | | 1195 | 995 | 98 |
| | KING E9 | | 118 | | | | | | | | 108 | | | 98 |

HOOD



| | | HOOD DIMENSIONS (mm) | | | | WEIGHT (Kg) |
|------|---------|----------------------|------|-----|------|-------------|
| | | A | B | C | K | |
| KING | KING E4 | 1135 | 1300 | 380 | Ø195 | 40 |
| | KING E6 | 1548 | | | | 1650 |
| | KING E9 | | 48 | | | |

Specifications and other features are subject to change without notice.